

פנס חכם מבוסס לד Robe - LED POINTE



ROBE.

ROBE של LedPOINTE® מצגי את הדור הבא של תאורת במה מקצועית, המשלב טכנולוגיית LED מתקדמת עם ביצועים יוצאי דופן.

מציוד במנוע TE™ 280W XP רב עוצמה המספק 160,000 לוקס במרחק של 5 מטרים ואורך חיים מרשים של 50,000 שעות, הפנס מציע טווח זום גמיש של 1.8° עד 44° עם עדשה קדמית של 150 מ"מ, המאפשרת שליטה מדויקת באלומה.

המערכת המשולבת של LedPOINTE® כוללת מערכת ערבוב צבעים CMY מתקדמת, שני גלגלי גובו עם אפקטים מרהיבים, שתי מערכות פריזמה ייחודיות הכוללות את טכנולוגיית SpektraBeam™ המוגנת בפטנט, ומערכת MagFrost™ חדשנית.

בזכות טכנולוגיות מתקדמות כמו EMS™ לייצוב תנועה, L3™ לעמעום מדויק ו-AirLOC™ להפחתת תחזוקה.

ה-LedPOINTE® מצבי סטנדרט חדש בקטגוריית פנסי ה-ALL-IN-ONE, כל זאת במשקל קומפקטי של 21 ק"ג בלבד.

מפרט טכני

כללי 

יצרן: Robe

צבע גוף: Black

חשמל 

מתח עבודה: 100-240V, 50/60 Hz

הספק כולל: 400W at 230V / 50 Hz

מקור אור

סוג נורה: (TE™ 280W XP White LED Engine (Patented)
LED Engine output: 19.300 lm# Fixture total lumen output:# 11.750 lm (integrating sphere)#
9.400 lm (goniophotometer)# Illuminance:162.000 lx @ 5 m
אורך חיי נורה: min. 50.000 hours
גוון צבע: K 6.700
CRI: 70
זווית פיזור: 44° -1.8°

מידות

רוחב: 363mm
גובה: 667mm
עומק: 240mm
משקל: !!!21Kg

שליטה

שליטה: USITT DMX-512, RDM, ArtNet, MA Net, MA Net2, sACN
שליטה אלחוטית: Wireless CRMX™ technology from Lumen Radio - on request
מצבי הפעלה DMX: 38ch
דימר: 0 - 100% 8 bit or 16 bit

סביבת עבודה

דירוג IP: IP20

פרמטרים Moving Light

פרוסט: MagFrost™: magnetic paddle fast change system providing exchangeable frosts containing as standard a very light 1° for instant softening of the projected gobo or framing shutters, and a medium 5° for even wash, both specifically selected for theatre and TV use

פוקוס: Motorised zoom and focus

Zoom: Zoom range: 1.8°- 44°

CMY / RGBW: Cyan: 0 - 100%# Magenta: 0 - 100%# Yellow: 0 - 100%# Virtual CTO: 3.000K - 6.700K#

ChromaTint™ - Patented plus / minus green correction function

גלגל גובו 1: Rotating gobo wheel: 9 rotating, indexable and replaceable breakup and aerial gobos + open, patented slot & lock system

גלגל גובו 2: Static gobo wheel: 11 gobos + open

גלגל צבע 1: Colour Wheel: 13 dichroic filters + white

DataSwatch™ filters: pre-programmed 237 colours and tones including most used whites: **גלגל צבע 2:** 2.700K, 3.200K, 4.200K, 5.600K and 8.000K

MLP™ - Patented Multi-Level Prisms allow multiple prisms to be "stacked" while retaining individual **פריזמה:** speed and direction control. With variable shape and size it creates unlimited dynamic, multi-level flower and beam effects: Prism wheel 1: Independent 6 facet linear prism rotating in both directions at variable speed and Independent 18 facet circular prism rotating in both directions at variable speed Prism wheel 2: SpektraBeam effect rotating in both directions at variable speed and Independent 8 facet circular prism rotating in both directions at variable speed

SpektraBeam™ - Paradigm-shifting patented effects engine. See it to believe it. The true, **גלגל אנימציה:** monumental breakthrough in effects modules

Pre-programmed random strobe & pulse effects: **סטרובו:**


Pan movement: 540° with continuous rotation control# Tilt movement: 270°# Controllable speed of: **תנועה:** Pan & Tilt movement# EMS™: Electronic Motion Stabilizer system for Pan & Tilt reducing beam deviation (caused by truss movement or vibration (Patented

נתונים נוספים (+)

Cpulse™ special flicker-free management for HD and UHD cameras, ready for 8K and 16K# **נתונים נוספים:** L3™ - (Low Light Linearity) Imperceptible 18 bit dimming for ultra smooth fade to black# AirLOC™ (Less Optical Cleaning) technology greatly reduces the level of airborne particles drawn over the optical elements. This increases the overall performance, light quality and time between routine cleaning and maintenance.

LedPOINTE Product video

Now is the perfect time to transition from traditional discharge lamp based all-in-one luminaires to energy efficient, long lasting, low maintenance LED fixtures. Our LedPOINTE® is effect packed, with all the features, innovation and superior performance

לחץ לצפייה בסרטון LedPOINTE Product video 

קבצים להורדה

דף מידע
(197.43 kB) 