קסנון
Robe - IBOLT



iBOLT™ - תאורת השמיים המתקדמת מבית ROBE.

הכירו את ה-iBOLT™, הדור החדש של הקסנונים המחליף את הפנסים המיושנים. עם אלומות חדות, צורות ואפקטים מרהיבים, השמיים הם הקנבס שלכם.

- עם מנוע LSW-5™ עם מקור לייזר לבן בעוצמה של 500W
- עוצמת אור מדהימה: 1,100,000 לוקס ב-20 מטר
- יחס זום 21:1 עם טווח של 0.4° - 8.5°
- מערכת CMY וגלגל צבעים עם 13 צבעים דיכרואיים
- מנוע אפקטים SpecktaBeam™ ייחודי
- סיבוב PAN רציף של 540°
- הגנת IP65 מתקדמת עם מערכת RAINS™
- טכנולוגיית POLAR+™ לפעולה בטמפרטורות נמוכות עד מינוס 50 מעלות צלזיוס
- מערכת בטיחות SafeGuard™ למניעת חשיפה מסוכנת
- תוכנת REAP™ לניטור מרחוק

ה-iBOLT™ מציע יכולות מתקדמות הרבה מעבר לזרקור מסורתי, עם מגוון אפקטים, צבעים וצורות שניתן ליצור בשמיים. עם הגנה מתקדמת לכל תנאי מזג אוויר ומערכות בטיחות חכמות, ה-iBOLT™ מאפשר לכם לשלוט בשמיים ולייצר חוויות תאורה מרהיבות כפי שלא נראו מעולם.

הגיע הזמן לשלוט בשמיים עם iBOLT™!

מפרט טכני

כללי

יצרן: Robe

צבע גוף: Black

חשמל

מתח עבודה: V, 50/60 Hz 100-240

הספק כולל: max. 700W

מקור אור

סוג נורה: LSW-5™ 500W White Laser Source

עוצמת הארה: (Fixture total lumen output:# 22500lm (integrating sphere)# 18100lm (goniophotometer

אורך חיי נורה: hours 12,000

גוון צבע: 8800K

CRI: 70

זוית פיזור: °0.4 - °8.5

מידות

רוחב: 542mm

גובה: 830mm

עומק: 392mm

משקל: 54.4

שליטה

שליטה: USITT DMX-512, RDM, ArtNet, MA Net, MA Net2, sACN

שליטה אלחוטית: Wireless CRMX™ technology from Lumen Radio

מצבי הפעלה 37 **DMX:**

דימר: L3™ - (Low Light Linearity) Imperceptible 18 bit dimming for ultra smooth fade to black

---

קירור

בקרת מאוררים: RAINS™ (Robe Automatic Ingress Neutralization System) manages humidity, temperature and pressure control using an active monitoring system to automatically remove any moisture detected within the fixture and provides constant monitoring to ensure peak performance

טמפ' עבודה: Minimum operating temperature: -50°C

סביבת עבודה

דירוג IP: IP65

פרמטרים Moving Light

Zoom: Motorised zoom and focus

CMY / RGBW: CMY

גלגל גובו 1: 9 rotating gobos + open, indexable and replaceable gobos

גלגל גובו 2: 14 gobos + open

גלגל צבע 1: 13 dichroic filters + white

גלגל צבע 2: DataSwatch™ filters: pre-programmed 66 colours and tones including most used whites 2.700K, 3.200K, 4.200K, 5.600K and 8.000K

פריזמה: MLP™ - Patented Multi-Level Prisms allow multiple prisms to be "stacked" while retaining individual speed and direction control. With variable shape and size it creates unlimited dynamic, multi-level flower and beam effects: Innovative Effect Engine consisting of 6 prisms placed on two wheels, producing 12 various Beam and Flower effects

גלגל אנימציה: SpektraBeam™ - Paradigm-shifting patented effects engine. See it to believe it. The true, monumental breakthrough in effects modules

סטרוב: Pre-programmed random strobe & pulse effects

תנועה: Pan movement range 540° with continuous rotation control# Tilt movement: 265°# Movement control: Standard and Speed# Controllable speed of Pan & Tilt movement# Automatic Pan & Tilt position correction# EMS™: Electronic Motion Stabilizer system for Pan & Tilt reducing beam deviation caused by truss movement or vibration (Patented)# MAPS™ - Motionless absolute positioning system for Pan and Tilt (Patented))

⊕ נתונים נוספים

נתונים נוספים: AirLOC™ (Less Optical Cleaning) technology greatly reduces the level of airborne particles drawn over the optical elements. This increases the overall performance, light quality and time between routine cleaning and maintenance.# POLAR+™ for power saving and instant operation in extremely cold weather conditions# ScanGuard™ - Constantly scanning safety feature with auto-cut to prevent risk of direct source viewing# Epass™: Ethernet pass through switch which sustains Ethernet integrity, when the fixture has no power, to automatically maintain network connectivity# REAP™ - Robe Ethernet Access Portal

iBOLT Product video

The time has come to replace your antiquated discharge sourced outdoor aerial effect luminaires with a new generation Searchlight and Skyflower fixture, to make outdoor lighting statements like never before! !It's time to dominate the sky, with iBOLT

לחץ לצפייה בiBOLT Product video

קבצים להורדה

דף מידע
(kB 314.97)