



TOP –2FACE

Two-Face Moving Head Light, 8*4-in-1 RGBW

Please read the manual before operation.

A. SPECIFICATION

1. Power input: AC 100V-240V, 60Hz/50Hz
2. Power: 100W
3. LEDs: 8*4-in-1 RGBW
4. Control Mode: DMX512, Master mode, Slave mode, Sound-active
5. Beam angle: 8 degrees
6. DMX Channels: 9/19CH
7. Operation mode: LCD display
8. Working temperature: -10℃~40℃
9. Weight: 4.5 kg
10. Dimension: 342*150*316mm



B. OPERATION

There are four working modes of this fixture; Press “MODE” button to switch the modes.

- DMX mode
- Master mode
- Slave mode
- Sound-active mode

DMX Channels: 9/19 channel

Pan/Tilt: 360 degree continuous rotation

LED effect: double side can be controlled independently

LED dimming: 0~100% smooth dimming

1. DMX channel function

Function	DMX Value	Setting	9 Channels	19 Channels
Pan	000-127	0-360degree	1	1(DMX 000-255)
	128-191	Clockwise from fast to slow		6 (DMX 000-127 no function)
	192-255	Anticlockwise from slow to fast		
Pan fine turning	000-255	0~100%		2
Tilt	000-127	0-360 degree	2	3(DMX 000-255)
	128-191	Clockwise from fast to slow		7 (DMX 000-127 no function)
	192-255	Anticlockwise from slow to fast		
Tilt fine turning	000-255	0~100%		4
Pan and tilt speed	000-255	Speed from fast to slow		5
Master dimming	000-255	0~100%	3	
Red	000-255	0~100%	4	
Green	000-255	0~100%	5	
Blue	000-255	0~100%	6	
White	000-255	0~100%	7	
Dimming	000-005	Dimming closed	8	16
	006-255	Speed from slow to fast		
Restore	000-009	no function	9	19
	010-020	Restore		
	021-255	No function		
Red1	000-255	0~100%		8
Green1	000-255	0~100%		9
Blue1	000-255	0~100%		10
White1	000-255	0~100%		11
Red2	000-255	0~100%		12
Green2	000-255	0~100%		13
Blue2	000-255	0~100%		14
White2	000-255	0~100%		15

Color Macro	000-015	No effect		17
	016-055	Running1		
	056-095	Running 2		
	096-135	Running 3		
	136-175	Running4		
	176-215	Running 5		
	216-255	Running 6		
Color Macro speed	000-255	Speed from slow to fast		18

The logo for 'eco Stage Light' features the word 'eco' in a stylized, rounded font with a green dot above the 'o', followed by 'Stage Light' in a clean, sans-serif font.



DANOR Theatre & Studio systems, 9 Hanagar st.. Hod Hasharon, Israel Tel. 09-7444222

Fax.09-7466466

Menu

