פנס חכם מבוסס לד
Robe- T2 Profile

פנס חדש מבית Robe, עדין ברמה תאטרלית! ה T-2 Pofile חזק יותר, עם טכנולוגיית (Multi-Spectral Light) MSL.

מתוכנן לפעול בסביבות רגישות לרעש! מתאים לתיאטראות כבר אמרנו? עם בקרת צבע CMY, עם פטנט DataSwatch המכיל מבחר של צבעים מתוכנתים מראש באמצעות אלגוריתם חדש RCC, מבחר גוונים לבן מ2,700K ועד 8,000K CCT. כל וריאציות הצבע אפשריות!!! עמעום תיאטרלי, שאטרים ועוד....

לטלוויזיה?? עם ערוץ פלוס ומינוס לצבע ירוק וטכנולוגיית Cpulse ללא היבהוב לכל מערכות הראיה כמו מצלמות HD וUHD. מערכת שאטרים, פרוסט, טווח זום רחב ועוד....

מפרט טכני

כללי

יצרן: Robe

צבע גוף: Black

חשמל

מתח עבודה: 100-240 V, 50/60 Hz

הספק כולל: max. 1150 W

מקור אור

סוג נורה: MSL™ 850 W Multi-Spectral LED engine

עוצמת הארה: up to 17.600 lm

אורך חיי נורה: L70/B50 @ 40.000 hours

CRI: CRI: 95, CRI R9: 91, TM30-18 Rf: 93, TM30-18 Rg: 103, TLCI: 94

זוית פיזור: 5° - 55°, covers favoured field angles of most Theatre and TV lights

---

מידות

רוחב: 483mm

גובה: 802mm

עומק: 335mm

משקל: 36.9kg

שליטה

שליטה: USITT DMX-512, RDM, ArtNet, MA Net, MA Net2, sACN

שליטה אלחוטית: Wireless CRMX™ technology from Lumen Radio - on request

מצבי הפעלה 56 ,36 ,52 :Control channels | DMX Protocol modes: 3 **DMX:**

דימר: L3™ - (Low Light Linearity) Imperceptible 18 bit dimming for ultra smooth fade to black

---

סביבת עבודה

דירוג IP: IP20

תקינה

אישור בינלאומיים: CE | cETLus

פרמטרים Moving Light

איריס: Motorized, stepless, pulse effects up to 3 Hz

פרוסט: very light 1° for instant softening of the projected gobo or framing shutters and medium 5° for even wash, both selected specifically for theatre and TV use, both frosts replaceable via magnetic holder

פוקוס: Motorized zoom and focus

Zoom: 5° - 55°

CMY / RGBW: CMY/RGB or RGBAL# Tungsten lamp effect: 750W, 1.000W, 1.200W, 2.000W, 2.500W lamp emulation for whites from 2.700K to 4200K (red shift and thermal delay) + - Green correction function# White light: Variable CCT 2.700K - 8.000K

גלגל גובו 1: Static gobo wheel: 8 static, replaceable breakup gobos + open, all gobos specially selected for theatrical and TV productions, patented slot & lock system

גלגל גובו 2: Rotating gobo wheel: 6 rotating, indexable and replaceable breakup and aerial gobos + open, all gobos specially selected for theatrical and TV productions, patented slot & lock system

פריזמה: Prism 1: independent 6-facet linear prism rotating in both directions at variable speed | Prism 2: independent 6-facet circular prism rotating in both directions at variable speed

גלגל אנימציה: Aluminium animation wheel, used alone or in combination with gobos, rotating in both

directions at variable speed

שאטר: Framing shutters : Patented framing shutters module with 4 individually positionable blades plus rotation of the complete frame system + - 60°

סטרוב: Electronic strobe effect with variable speed up to 20 Hz, pre-programmed random strobe & pulse effects

תנועה: Pan movement: 540°# Tilt movement: 270°# Movement control: Standard and Speed# Automatic Pan/Tilt position correction# EMS™: Electronic Motion Stabilizer system for Pan & Tilt reducing beam (deviation caused by truss movement or vibration (Patent pending

T2 profile

לחץ לצפייה בT2 profile